

Hemp



Oat
HWP05



Bale
HWP02




Gorse
HWP03



Seed
HWP13



Grain
HWP27



Acre
HWP19




Hectare
HWP21




Dew
HWP16



Arable
HWP04



Root
HWP06



Plough
HWP01



Sickle
HWP30



Dale
HWP18



Trough
HWP20



Fallow
HWP28



Ashworth
HWP26



Barn
HWP23




Pollen
HWP08



Alec
HWP12



Heath
HWP07



Hedgerow
HWP09

Hemp

Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.

Hemp



Task seating



Lounge seating



Environmental



Year guarantee

Expertly woven from a blend of wool and hemp, Hemp is a fabric of natural beauty. With a soft handle and inherent flame retardancy, this sustainable textile has a classic plain weave that perfectly showcases its natural composition and multi-tonal coloration.



Hemp meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery.

Technical Information

Composition

70% Pure New Wool, 30% True Hemp

Environment

Certified to the EU Ecolabel

Certified to Indoor Advantage™ Gold

Environmental Product Declaration - Natural Fabric Composition

AB 2998 Compliant

PFAS Free

Rapidly renewable and compostable

Contains wool and bast fiber

Non metallic dyestuffs

Width

54 inches minimum

Weight

13^{1/2} oz/sq yd ±5% (20^{1/4} oz/running yd ±5%)

Abrasion Resistance*

ASTM D4157 Wyzenbeek method.

Heavy Duty Upholstery independently certified to ≥47,500

double rubs. Covered by a full and comprehensive

10 year guarantee (full details available)

Color Fastness to Light

AATCC-16 (40 hours) Class 4

Color Fastness to Crocking

AATCC-8 (Dry: 4, Wet: 3)

Cleaning

W/S

Clean with a water-based cleaning agent or solvent:

Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Flammability

California Technical Bulletin 117

BS 7176 Medium Hazard

Note: Flammability performance is dependent on components used; full details are listed within our certificates. Customers must ensure their complete furniture meets the necessary standards.

*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention. We're confident in the durability of our products so we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team. Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited. The stated technical and environmental performance of a fabric may be affected by the post treatment applied. Product guarantees for the post treatment of fabrics undertaken by Camira are guaranteed for 5 years.

www.camirafabrics.com



**Renewable
Plant and Wool**



camira

Scanner pour la spécification en français
Escaneen para obtener las especificaciones en español

HWP (TSR10) 0625 T

Hemp - Product information

Task seating

Lounge seating

Environmental

Year guarantee



Hemp meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery.

Technical information

EN

Composition 70% Pure New Wool, 30% True Hemp
Environment Certified to the EU Ecolabel Certified to Indoor Advantage™ Gold Environmental Product Declaration - Natural Fabric Composition AB 2998 Compliant PFAS Free Rapidly renewable and compostable Contains wool and bast fiber Non metallic dyestuffs
Width 54 inches minimum
Weight 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/running yd ±5%)
Abrasion Resistance* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery Independently certified to ≥47,500 double rubs Covered by a full and comprehensive 10 year guarantee (full details available)
Flammability California Technical Bulletin 117 BS 7176 Medium Hazard <i>Note: Flammability performance is dependent on components used; full details are listed within our certificates. Customers must ensure their complete furniture meets the necessary standard</i>
Color Fastness to Light AATCC-16 (40 hours) Class 4
Color Fastness to Crocking AATCC-8 (Dry: 4, Wet: 3)
Cleaning W/S Clean with a water-based cleaning agent or solvent: Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention. We're confident in the durability of our products so we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team. Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

The stated technical and environmental performance of a fabric may be affected by the post treatment applied. Product guarantees for the post treatment of fabrics undertaken by Camira are guaranteed for 5 years.

F

Composition 70% Pure Laine Vierge, 30% Chanvre
Écologique Avec le certificat EU Ecolabel Certifié à Indoor Advantage™ Gold Déclaration environnementale du produit - tissu de composition naturelle AB 2998 Compliant PFAS Free Rapidement renouvelable et compostable Contient de la Laine et des fibres originaire de Tiges Teintures non métalliques
Largeur 54 pouces minimum
Poids 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/yd.lin ±5%)
Résistance à l'abrasion* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery Certificat indépendant ≥47,500 double frottement Avec une garantie totale de durabilité de 10 ans (renseignements complémentaires disponibles)
Flammabilité California Technical Bulletin 117 BS 7176 Medium Hazard <i>Note: Les performances d'inflammabilité dépendent des composants utilisés; tous les détails sont énumérés dans nos certificats. Les clients doivent s'assurer que leur mobilier complet répond aux normes nécessaires.</i>
Solidité à la Lumière AATCC-16 (40 heures) Class 4
Solidité à la Crocking AATCC-8 (Sec: 4, Mouillé: 3)
Nettoyage W/S Nettoyer avec un produit d'entretien à base d'eau: en fonction de la tâche, vous pouvez nettoyer à sec, à l'aide d'un détergent ou bien avec du shampooining pour meubles.

*Les résultats des essais d'abrasion qui dépassent les directives de rendement de l'ACT ne sont pas un indicateur de la durée de vie du produit. Plusieurs facteurs affectent la durabilité du tissu et la rétention de l'apparence. Nous sommes confiants dans la durabilité de nos produits, nous fournissons donc une garantie robuste de 10 ans (détails complets disponibles). Ce produit est certifié en externe, dont les détails sont disponibles sur notre site Web et disponibles auprès de notre service clientèle. Les variations de teinte d'un lot à l'autre peuvent se produire dans les limites des tolérances commerciales. Nous nous réservons le droit de modifier les spécifications techniques sans préavis. Les droits de conception non enregistrés et le droit d'auteur sur tous les dessins sont la propriété exclusive de Camira Fabrics Limited.

Les performances techniques et environnementales d'un tissu peuvent être affectées par le post-traitement appliqué. Les garanties de produit pour le post-traitement des tissus entrepris par Camira sont garanties pendant 5 ans.

ES

Composición 70% Pura Lana Virgen, 30% Cáñamo
Ambiental Certificado con EU Ecolabel Certificado de Indoor Advantage™ Gold Declaración Medio Ambiental de Producto – Tejido Composición Natural AB 2998 Compliant PFAS Free Rapidamente renovable y compostable Contiene lana y fibras naturales Tintes no metálicos
Ancho 54 pulgadas mínimo
Peso 13 ^{1/2} oz/sq yd ±5% (20 ^{1/4} oz/lin.y ±5%)
Resistencia a la abrasión* ASTM D4157 Wyzenbeek method, Heavy Duty Upholstery independientemente del certificado de ≥47,500 rozamiento doble Con garantía total de uso 10 años (más información disponible bajo consulta)
Inflamabilidad California Technical Bulletin 117 BS 7176 Medium Hazard <i>Nota: El rendimiento de la Inflamabilidad depende de los componentes usados; todos los detalles se enumeran en nuestros certificados. Los clientes deben asegurarse de que todos sus muebles cumplan con los estándares necesarios.</i>
Solidez a la Luz AATCC-16 (40 horas) Class 4
Solidez al Rozamiento AATCC-8 (Seco: 4, Húmedo: 3)
Limpieza W/S Lavar con un producto de limpieza neutro o solvente: en funcion de la suciedad o mancha, se puede limpiar con un producto de limpieza en seco, espuma templada o producto de limpieza de sofás.

*Los resultados de las pruebas de abrasion que excedan las pautas de la Guia ACT no son un indicador de la vida útil del producto. Multitud de factores afectan la durabilidad y apariencia de los tejidos. Confiamos en la durabilidad de nuestros productos por lo que ofrecemos una garantía robusta de 10 años (detalles completos disponibles). Este producto está certificado externamente, con los detalles disponibles en nuestra web por parte del departamento de atención al cliente. Entre tintadas existe la posibilidad de una variación de color siempre dentro de una tolerancia comercial. Nos reservamos el derecho de modificar las especificaciones técnicas sin previo aviso. Los derechos de diseño no registrados y los derechos de autor son propiedad exclusiva de Camira Fabrics ltd.

El rendimiento técnico y medio Ambiental depende de los componentes usados. Camira ofrece una garantía de 5 años para nuestros tratamientos.



Renewable
Plant and Wool

