
Monochrome Sett II

Monochrome Sett II introduces a sophisticated warm-neutral palette within one of Camira's most celebrated environmental collections. Rooted in nature, Monochrome Sett II is woven from renewable wool and flax, bringing together tailored stripes, refined checks and classic houndstooth with bold basket weaves and graphic micro-patterns. Warm, grounded and quietly confident, Monochrome Sett II layers texture, depth and contemporary rhythm to enrich modern interior spaces.

camira


camira circular camira circular




Sett #5
MLB03



Morden
MLF12



Sett #6
MLH02



Sett #10
MLN03



Sett #2
MLE03



Sett #2
MLE04




Upminster
MLF20




Sett #1
MLG03



Sett #8
MLK03



Sett #3
MLC03



Sett #3
MLC04



Sett #9
MLL03

Monochrome Sett II





Monochrome Sett II meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery.

Technical Information

Composition
75% Pure New Wool, 25% Flax

Environment
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Rapidly renewable and compostable
Made from wool and plant fiber
AB2998 Compliant
Prop 65 Compliant
PFAS Free

Width
54 inches minimum

Weight
13 oz/sq yd ±5% (19$^{1/4}$ oz/running yd ±5%)

Pattern Repeat
Sett #1: Width: 0.47 inches, Length: 0.59 inches ±5%
Sett #2: Width: 0.47 inches, Length: 0.14 inches ±5%
Sett #3: Width: 0.20 inches, Length: 0.12 inches ±5%
Sett #5: Width: 0.35 inches, Length: 0.43 inches ±5%
Sett #6: Width: 0.20 inches, Length: 0.28 inches ±5%
Sett #8: Width: 1.61 inches, Length: 0.12 inches ±5%
Sett #9: Width: 1.14 inches, Length: 1.22 inches ±5%
Sett #10: Width: 3.39 inches, Length: 3.90 inches ±5%

Abrasion Resistance*
ASTM D4157 Wyzenbeek method.
Heavy Duty Upholstery independently certified to ≥100,000 double rubs. Covered by a full and comprehensive 10 year guarantee (full details available)

Color Fastness to Light
AATCC-16 (40 hours) Class 4

Color Fastness to Crocking
AATCC-8 (Dry: 4, Wet: 3)

Acoustic Properties
Acoustically transparent, acoustic graphs available upon request.

Cleaning
W/S
Clean with a water-based cleaning agent or solvent:
Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Flammability
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
BS 7176 Medium Hazard
ASTM E84 Class 1 or A (Adhered)
ASTM E84 Class 2 or B (Un-adhered)
IMO FTP Code (Part 8)
Note: Flammability performance is dependent on components used; full details are listed within our certificates. Customers must ensure their complete furniture meets the necessary standards.

*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention. We're confident in the durability of our products so we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team. Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited. The stated technical and environmental performance of a fabric may be affected by the post treatment applied. Product guarantees for the post treatment of fabrics undertaken by Camira are guaranteed for 5 years.

www.camirafabrics.com



Renewable Plant and Wool







Scanner pour la spécification en français
Escaneen para obtener las especificaciones en español