

**Classic**

**camira**



**Leaf**  
VAC27




**Electric Blue**  
VAC28



**Bright Red**  
VAC04




**Siren**  
VAC20




**Bright Orange**  
VAC29



**Soft Jade**  
VAC30



**Magenta**  
VAC26



**Ember**  
VAC31



**Lichen**  
VAC32



**Marine**  
VAC33




**Grape**  
VAC25



**Trafalgar**  
VAC35




**Aubergine**  
VAC10



**Imperial**  
VAC12



**Lincoln Green**  
VAC37



**Ink**  
VAC07




**Sand Crepe**  
VAC46

Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.



**Mustard**  
VAC38




**White**  
VAC01



**Mineral**  
VAC44



**Burnt Orange**  
VAC39



**Chalk**  
VAC34



**Ivory**  
VAC41



**Biscuit**  
VAC43




**Silver**  
VAC17



**Sandlewood**  
VAC40



**Taupe**  
VAC03



**Prussian Blue**  
VAC16



**Honey**  
VAC24




**Mushroom**  
VAC19



**Anthracite**  
VAC05



**Cuba**  
VAC06



**Dark Blue**  
VAC45



**Black**  
VAC08

Transport  
seating

Year guarantee

Classic is a soft touch genuine leather with a lightly corrected grain and pigmented finish. The expansive color palette has been carefully assembled to give a wide array of color options designed to work cohesively with other Camira upholstery fabrics and ancillary trims.

Classic can be used for upholstery, side panels, headrests and even color coordinated piping to complement your vehicle interior. It is produced from European hides, which average 6 square yards in size to give improved yields and better utilisation.

## Technical information

### EN

#### Composition

100% Leather

#### Width

Hide sizes are 6.0 yd<sup>2</sup> on average

#### Weight

23<sup>1/2</sup> oz/sq yd ±5%

#### Thickness

Approx. 0.035-0.047 Inches

#### Flammability

FMVSS 302

IMO FTP Code (Part 8)

*Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.*

#### Maintenance

Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.

#### Color Matching

Batch to batch variations in shade may occur within commercial tolerances.

Please note that seam performance is dependent on seam construction and needle and thread type. We recommend that appropriate sewing advice be taken. Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

### F

#### Composition

100% Cuir

#### Largeur

Taille moyenne des cuirs: 6.0 yd<sup>2</sup>

#### Poids

23<sup>1/2</sup> oz/sq yd ±5%

#### Epaisseur

Environ 0.035-0.047 pouces

#### Flammabilité

FMVSS 302

IMO FTP Code (Part 8)

*Bemerkung: Die Schwerentflammbarkeit hängt von den verwendeten Komponenten ab. Unsere Zertifikate zeigen auf, welche Substrate bei den Tests verwendet wurden. Bei Verbundtests muss sichergestellt sein, daß das komplette Möbel den entsprechenden Standards entspricht.*

#### Nettoyage

Aspirer régulièrement. Essuyer avec une étoffe humide ou nettoyer à l'aide d'un produit approprié pour tissus d'ameublement.

#### Standardisation des coloris

Variations de coloris d'un bain à un autre peuvent se manifester.

Eine optimale Nahtausreissfestigkeit hängt von der Nahtfahne, der verwendeten Nadel und dem Näh-Garn ab. Wir empfehlen daher Nähversuche durchzuführen. Handelsübliche Farbabweichungen können auftreten und berechtigen nicht zur Reklamation. Wir behalten uns die Änderung technischer Spezifikationen vor. Die registrierten und nicht registrierten Urheberrechte der Dessinierungen sind ausschliessliches Eigentum der Camira Fabrics Limited.

### ES

#### Composición

100% Cuero

#### Ancho

El tamaño medio de los cueros es de 6.0 yd<sup>2</sup>

#### Peso

23<sup>1/2</sup> oz/sq yd ±5%

#### Espesor

Aproximadamente pulgadas 0.035-0.047

#### Inflamabilidad

FMVSS 302

IMO FTP Code (Part 8)

*Notez: La performance de flammabilité dépend des composantes utilisées. Nos certificats indiquent les substrats utilisés dans nos tests. Pour les tests composites, les clients doivent s'assurer que leurs meubles complets satisfont aux normes nécessaires.*

#### Limpieza

Limpiar con aspiradora frecuentemente. Bien lavar con un paño húmedo o con un champú apropiado para tapicería.

#### Continuidad de colores

Cada tintada puede tener pequeñas variaciones en el tono dentro de las tolerancias comerciales aceptadas.

Veillez noter que la performance du joint dépend de sa construction ainsi que de l'aiguille et du type de fil utilisés. Une variation de couleurs peut provenir (commerciallement tolérable). Nous réservons le droit de changer les spécifications techniques sans préavis. Les Droits de Conception nonenregistrés et les droits d'auteur de tous les motifs sont la propriété exclusive de Camira Fabrics Limited.