

Blazer Lite

camira



Bliss
LTH48



Buddha
LTH56



Worship
LTH59



Aspire
LTH52



Love
LTH47




Angel
LTH49



Praise
LTH54




Devoted
LTH58




Pastel
LTH65



Faith
LTH68



Pamper
LTH66



Balance
LTH41



Harmony
LTH63



Dainty
LTH64



Wish
LTH67




Mood
LTH44



Hope
LTH50



Happy
LTH55




Graceful
LTH51



Shelter
LTH60

Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.



Hush
LTH42



Retreat
LTH39



Daydream
LTH46




Pillow
LTH43



Tender
LTH53




Verity
LTH57




Cuddle
LTH62



True
LTH61



Solace
LTH70



Haven
LTH40



Freedom
LTH69



Panels



Acoustic



Environmental



Year guarantee

With Treatment



Drapery

Blazer Lite is a finer version of our Blazer upholstery fabric making it lighter in weight for use on desk screens, panels and other vertical surfaces. The felted, milled finish sports a color palette consisting of mélange mixes and plain shades, as well as subtle pastels and iridescent brights.



Blazer Lite meets the ACT voluntary Performance Guidelines for panel fabrics.

Technical information

EN

Composition

100% Pure New Wool

Environment

Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Rapidly renewable and compostable
Non metallic dyestuffs

Width

66 inches minimum

Weight

10^{1/2} oz/sq yd ±5% (19^{1/4} oz/running yd ±5%)

Flammability

California Technical Bulletin 117 - 2013
NFPA 260 + UFAC Class 1

ASTM E84 Class 1 or A (Adhered)

ASTM E84 Class 2 or B (Unadhered)

Optional: Please specify when ordering:

ASTM E84 Class 1 or A (Unadhered) with

Light Acrylic Backing

NFPA 701 when FR Treated

Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.

Color Fastness to Light

AATCC-16 (40 hours) Class 4

Color Fastness to Crocking

AATCC-8 (Dry: 3, Wet: 3)

Acoustic Properties

Acoustically transparent, Acoustic graphs available upon request

Cleaning

W/S

Clean with a water-based cleaning agent or solvent: Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

F

Composition

100% Laine Vierge

Écologique

Avec le certificat EU Ecolabel
Certifié à Indoor Advantage™ Gold
Rapidement renouvelable et compostable
Teintures non métalliques

Largeur

66 pouces minimum

Poids

10^{1/2} oz/sq yd ±5% (19^{1/4} oz/yd.lin ±5%)

Flammabilité

California Technical Bulletin 117 - 2013
NFPA 260 + UFAC Class 1

ASTM E84 Class 1 or A (Adhered)

ASTM E84 Class 2 or B (Unadhered)

Prière de le mentionner lors de la commande:

ASTM E84 Class 1 or A (Unadhered) avec une

sous-couche acrylique légère

NFPA 701 si traitement FR

Notez: La performance de flammabilité dépend des composantes utilisées. Nos certificats indiquent les substrats utilisés dans nos tests. Pour les tests composites, les clients doivent s'assurer que leurs meubles complets satisfont aux normes nécessaires.

Solidité à la Lumière

AATCC-16 (40 heures) Class 4

Solidité à la Crocking

AATCC-8 (Sec: 3, Mouillé: 3)

Propriétés Acoustiques

Acoustiquement transparent, graphiques acoustiques disponibles sur demande

Nettoyage

W/S

Nettoyer avec un produit d'entretien à base d'eau: en fonction de la tâche, vous pouvez nettoyer à sec, à l'aide d'un détergent ou bien avec du shampooing pour meubles.

Une variation de couleurs peut provenir (commerciallement tolérable). Nous réservons le droit de changer les spécifications techniques sans préavis. Les Droits de Conception non-enregistrés et les droits d'auteur de tous les motifs sont la propriété exclusive de Camira Fabrics Limited.

ES

Composición

100% Lana Virgen

Ambiental

Certificado con EU Ecolabel
Certificado de Indoor Advantage™ Gold
Rapidamente renovable y compostable
Tintes no metálicos

Ancho

66 pulgadas mínimo

Peso

10^{1/2} oz/sq yd ±5% (19^{1/4} oz/lin.y ±5%)

Inflamabilidad

California Technical Bulletin 117 - 2013
NFPA 260 + UFAC Class 1

ASTM E84 Class 1 or A (Adhered)

ASTM E84 Class 2 or B (Unadhered)

Con tratamiento adicional de foamizado por favor

especificar cuando se requiere en el pedido:

ASTM E84 Class 1 or A (Unadhered) con soporte ligero acrílico

NFPA 701estando con tratamiento FR

Nota: El rendimiento de la inflamabilidad depende de los componentes usados. Nuestros certificados muestran qué substratos se han usado en nuestros tests. Para tests compuestos nuestros clientes deben asegurar si sus muebles cumplen la normativa al uso.

Solidez a la Luz

AATCC-16 (40 horas) Class 4

Solidez al Rozamiento

AATCC-8 (Húmedo: 3, Seco: 3)

Acústico Propiedades

Acústicamente transparente, gráficos disponibles bajo petición

Limpeza

W/S

Lavar con un producto de limpieza neutro o solvente: en función de la suciedad o mancha, se puede limpiar con un producto de limpieza en seco, espuma templada o producto de limpieza de sofás.

Se reserva el derecho de modificar las especificaciones técnicas sin previo aviso. Los derechos sobre dibujos no registrados y los derechos de autor sobre todos los dibujos swon propiedad exclusiva de Camira Group Inc.