
Acoustic Fabrics. Made by Camira.









Ocee Design | Fabricks



Why do we need acoustic fabrics?

The acoustics of a room are one of the most important, yet often overlooked features of its environment. In the same way that light is a key consideration when designing a space - identifying where it should be maximized, minimized, and reflective surfaces avoided – sound should be given the same concern.

As with light, when sounds hits a surface, part of its energy is absorbed and part is reflected back into the room. So, just as we may install a blind in front of a window to control its brightness, similarly, acoustic solutions are necessary to effectively manage sound and the effect it has upon noise and echo within an interior as it bounces off hard, reflective surfaces.


Acoustic solutions take various forms – wall divider screens, hanging panels for ceilings, acoustic bricks – all of which can be incredibly effective in absorbing sound. However, the fabric these solutions are covered in must be conducive to its purpose; if they don't possess the necessary acoustic properties, they may reflect the sound back into the room before the panel behind has the chance to do its job.

So, while an element of noise certainly brings a sense of liveliness and energy to a room, if it is not properly controlled, it can have a negative impact on a wide range of spaces:

- Offices: With a number of studies revealing that excessive noise is one of the most disruptive factors to our workplace productivity and wellbeing, it is crucial that sound is kept to an appropriate level in any office. In fact, it has been established that we care more about acoustics than we do about cleanliness or comfort.
- **Hospitality:** Sound can have such a pronounced impact on our enjoyment of a social space that acoustics now play a part in many restaurant critics' reviews, with Tom Sietsema of The Washington Post even introducing a decibel reading alongside his food critique.
- **Education:** Everything from students' concentration and motivation to learning ability has been proven to be significantly affected by poor acoustics, illustrating that there is a pronounced need for sound to be effectively managed in order to prevent placing learners at a disadvantage.


Acoustically transparent

Good



Sound reflection

Bad





What is an acoustic fabric?

An acoustic fabric allows sound waves to pass through without any interference, neither reflecting or absorbing. In effect, it is transparent – with the most highly transparent acoustic fabrics being used for loudspeaker coverings as result of the minimal impact they have upon the sound that is being transmitted.



Acoustic Fabrics. Made by Camira.








How is an acoustic fabric tested?

ISO 10534 Part 2

As an acoustic fabric is designed to be paired with an acoustic panel, this test measures the sound absorption of a fabric when it is applied to a 10 inch thick sound absorbing foam. The results are then compared to the absorption of the foam in isolation, therefore demonstrating how well the fabric will complement the performance of the acoustic panel.


The data will illustrate that the sound passes through a transparent fabric and is absorbed by the foam, or that it is partially absorbed by the fabric before passing through to the foam.



Noise Reduction Coefficient (NRC)

The NRC is an average rating of how much sound an acoustic product can absorb, varying on a scale from 0 to 1. An NRC rating of 0 means that the acoustic product is perfectly reflective and absorbs no sound, while an NRC of 1 means the acoustic product is perfectly absorptive and absorbs all sound. All our fabrics have a nominal NRC rating of 0.05 (largely transparent) and when used in conjunction with a sound absorbing board the resultant composite will have an NRC rating nominally the same as the board, **typically around NRC 0.75**.

Our results



All fabrics featured in the graph demonstrate transparency and reflect very little sound. The sound absorption capabilities of each product vary however according to the frequency of the sound waves:


- Low frequencies (e.g. deep voices, bass notes): At this sound level, the graph shows that the addition of all Camira fabrics actually improves the performance of the foam as illustrated by the sound absorption of the fabrics appearing slightly higher than that of the foam alone. Although only minor, wool fabrics, such as Blazer, Synergy, and Blazer Lite, demonstrate a degree of extra absorption capabilities.
- **High frequencies (e.g. a child's voice, shrill whistle):** At higher frequencies, transparency becomes much more important. As we can see in the graph, the most transparent fabrics are those closest to the red line, such as Lucia, Carlow, Racer and Sonus can therefore be considered as having very high transparency.

In short, whether it's about transparency or transparency plus a touch of absorbency, these Camira fabrics will allow specialist acoustic systems to do their job.

Acoustic fabric specification guide

All the products in the below table can be specified as being acoustically transparent for use in conjunction with an acoustic panel, and have been tested to the relevant flammability standards in both North America and Europe.

Camira Product	Acoustic testing ISO 10534 Part 2	Flammability test ASTM E 84 Adhered	Flammability test ASTM E 84 Un-adhered
Blazer	✓	Class 1 or A	Class 1 or A
Blazer Lite	✓	Class 1 or A	Class 1 or A
Carlow	✓	Class 1 or A	Class 1 or A
Era 66	✓	Class 1 or A	Class 1 or A
Lucia	✓	Class 1 or A	Class 1 or A
Racer	✓	Class 2 or B	Class 1 or A
Sonus	√	Class 1 or A (Beat) Class 2 or B (Music)	Class 2 or B
Sonus Etch	✓	Class 2 or B	Class 1 or A (Scribe) Class 1 or A (Carve)
Synergy 66	✓	Class 2 or B	Class 2 or B










Panel Tex wall panels by DFB | LinkedIn

Note: Results accurate at time of print. For most recent results visit www.camirafabrics.com.


Flammability test EN 13501-1 Adhered	Flammability test EN 13501-1 Un-adhered	
Class D, s1, d0 (untreated) Class B, s1, d0 (with FR treatment)	Class D, s2, d0	
Class C, s1, d0 (untreated) Class B, s1, d0 (with FR treatment)	Class D, s2, d0	
Class B, s1, d0	Class C, s1, d0	
Class B, s1, d0	Class C, s1, d0	
Class B, s1, d0	Class B, s1, d2	
Class B, s2, d0	Class B, s1, d0	
Class B, s1, d0	N/A	
Class C, s1, d0	Class C, s1, d0	
Class D, s1,d0	N/A	




Teeside University, UK | Photography by Kier Construction Ltd




Swell Panels manufactured and installed by DFB | Volunteers of America



Carnival Pyramid | Era





Bristol Royal Infirmary, UK | Photography by Godfrey Syrett



