

# **Vigor** A classic wool moquette, available in 50 colourways. camira



## Known. Loved. Re-inVigorated.

A bestseller then, now, and always, Vigor was introduced to the Camira collection in 1993. Since then, this wool rich moquette has become an iconic transport textile, used on buses and coaches across the globe. From New Zealand to America, Vigor can be found – offering colour, comfort, and style.

Reinvigorating this popular range with the introduction of 31 much-loved designs from Vigor's past, the newly refreshed collection encompasses an array of kaleidoscopic, classic, and contemporary patterns in a versatile colour palette of navy, black, grey, and burgundy.












Vita Lemon, ITA33


Vita Yucca, ITA30


**Vita**Sapphire, ITA16

**Vita** Envy, ITA55

**Vita** Rocker, ITA53








**Vita** Hippo, ITA07

**Vita** Noir, ITA12 **Vita** Tomato, ITA08 Vita Squash, ITA05

**Vita** Lemon, ITA33

Vita Yucca, ITA30 Vita Sapphire, ITA16 **Vita** Envy, ITA55 Vita Rocker, ITA53





**Vita** Hippo, ITA07


Vita Tomato, ITA08 **Vita**Squash, ITA05


**Vita**Lemon, ITA33

Vita Yucca, ITA30 **Vita**Sapphire, ITA16

**Vita** Envy, ITA55

**Vita**Rocker, ITA53















**Vita** Lemon, ITA33

Vita Yucca, ITA30 **Vita** Sapphire, ITA16

**Vita** Envy, ITA55 **Vita**Rocker, ITA53

# **Specification**

### **Vigor**







Year guarantee

A colour-filled, fun-packed, show-stopping collection, Vigor brings the wow factor to bus and coach interiors. A wool rich moquette that delivers on performance and durability, the robust nature of this fabric ensures that it will look and feel good for years to come.

### **Technical Information**

### Composition

Pile: 85% Wool, 15% Nylon Ground: 100% Cotton

### Width

150 cm minimum

### Weight

 $850 \text{ g/m}^2 \pm 5\% (1275 \text{ g/lin.m} \pm 5\%)$ 

### **Abrasion Resistance**

≥80,000 Martindale cycles (EN ISO 12947)

### **Flammability**

ECE Reg No. 118 Annexes 7 & 8 with FR Backcoat BS 5852 Ignition Source 7 when FR treated Note: flammability performance is dependent on components used FR performance is based on the FR treatment applied

### **Light Fastness**

6 (ISO 105 - B02)

### **Fastness to Rubbing**

Wet: 4, Dry: 4 (ISO 105 - X12)

### Cleaning

Vacuum regularly. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.

View Online



