Intertek
The Warehouse
Brewery Lane
Leigh, WN7 2RJ
UK

Tel +441942 265 700
consumergoods.uk@intertek.com
www.intertek.com

TEST REPORT

Report Ref.	LEI25121038A Original		
Date Received	12/12/2025	**Date Issued**	12/01/2026

Company Name & Address	Camira Fabrics Limited Meltham Mills , HD9 4AY
Contact Name	Amanda Jack

Order Number	83A35538
Ref / Style Number	579083
Colour	Serendipity
Quality	Synergy Quilt
End Use	Upholstery
No Of Samples	1
Retailer	General

Test	Method	Sample	Result
Colour Fastness to Light - Method 3 - Standard 6	BS EN ISO 105 B02: 2014		See Results

Tests marked (^) in this report have been performed by an approved 3rd party laboratory.
Tests marked (*) in this report are not included in our UKAS scope of accreditation.

L. Roberts

Lauren Roberts
(Technician)

Intertek
The Warehouse
Brewery Lane
Leigh, WN7 2RJ
UK

Tel +441942 265 700
consumergoods.uk@intertek.com
www.intertek.com

Colour Fastness to Light - Method 3 - Standard 6 BS EN ISO 105 B02: 2014

	Change in Shade Result	Requirement
Serendipity	>6	

Overall Test Result: See Results
Uncertainty: 1/2 grade

Report Type	Issue Date	Revision Reason	Revision Description
Original	12-Jan-26	Complete Original Issue	N/A

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor of k = 2, providing a level of confidence of approximately 95 %. Unless otherwise specified all compliance and pass/fail statements are binary simple acceptance based on the tolerance interval and, with the exception of graded methods, a test uncertainty ratio greater (TUR) than 4:1. For graded methods the TUR will drop to as low as 0.5:1 when the tolerance limits are within a grade division of the upper scale limit. The Uncertainty budgets are stated for each Test method, these are for reference and where a % value is stated it should be applied to the stated result, this % value is accurate at the acceptance limit, where results are significantly different to the acceptance limit the calculated uncertainty may be over or understated. Uncertainty should be carefully considered when results are on or close to Specification Limits / Requirements - in such cases it should be noted that the risk of false acceptance or rejection may be as high as 50%, for further information please refer to ILAC G8.